

Friday, February 17, 2017 1:31:44 PM

Page 1

4 DAS 27 9-89
MAR 21 2017

DAS 21 9-88 1703-20 (4)

4 MAR 21 2017

4 DAS 27 9-89
MAR 21 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

157266

Item ID:	D350-589-011	Accept	*N900040100*	Setup	Start	*NS1*
Revision ID:						
Item Name:	Side Door Latch Modification				Stop	*NS2*

	Run	Start	Stop	*NR1*	*NR2*
Approvals:	Process Plan:	Date:	Tooling:	Date:	SPC (Y/N):
				Date:	Date:

120		Packaging	
Packaging		Memo	0.00
Packaging		Identify and pack for shipping as per QSI 014	
		Location : FG022	

4

DAS 27 9-88

MAR 2 1 2017

130	QC21 - Final Inspection - Work Order Release	0.00	
130		0.07	
QC			
Quality Control			

DAS
21
9-88
MAR 22 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Friday, February 17, 2017 1:31:43 PM

Page 1

Work Order ID: 157266

157266

Parent Item: D350-589-011

D350-589-011

Parent Item Name: Side Door Latch Modification

Start Date: 2/24/2017

Required Date: 3/3/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP F02.08.29Removed D2587 PlugKJ
ALL AT CHANGE 002

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D2237		Manufactured	No			105	Each	45.0000	3	12			
-------	--	--------------	----	--	--	-----	------	---------	---	----	--	--	--

D2237

Striker Plate

Location	Loc Qty	Loc Code
ST004	45	
<u>152168</u>	15	
153454	10	
154292	20	

DAS
27
9-89

MAR 21 2017

DAS 28
6
9-89

D2583		Manufactured	No			105	Each	27.0000	3	12			
-------	--	--------------	----	--	--	-----	------	---------	---	----	--	--	--

D2583

Latch Bracket

Location	Loc Qty	Loc Code
ST481	27	
<u>152314</u>	2	
154221	25	

DAS
27
9-89

MAR 21 2017

DAS 28
6
9-89

D2585		Manufactured	No			105	Each	40.0000	3	12			
-------	--	--------------	----	--	--	-----	------	---------	---	----	--	--	--

D2585

Latch Clamp

Location	Loc Qty	Loc Code
ST008	18	
149785	2	
<u>152338</u>	15	
<u>154228</u>	1	
ST012a	22	
152476	22	

DAS
27
9-89

MAR 21 2017

DAS 28
6
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Friday, February 17, 2017 1:31:44 PM

Page 2

Work Order ID: 157266

157266

Parent Item: D350-589-011

D350-589-011

Parent Item Name: Side Door Latch Modification

Start Date: 2/24/2017

Required Date: 3/3/2017

Start Qty: 4.00

Required Qty: 4.00

D2586 Manufactured No 105 Each 85.0000 3 12

D2586

Door Latch

Location	Loc Qty	Loc Code
FG	11	
139228	7	
152211	4	
ST188a	24	
156207	24	
ST481	25	
153582	25	
ST486a	25	
154875	25	

MAR 21 2017

DAS 6 9-89

DAS 28 9-89

DAS 27 9-89

D2587 Manufactured No 105 Each 20.0000 1 4

D2587

Door Plug

Location	Loc Qty	Loc Code
ST008	20	
152274	10	
154216	10	

MAR 21 2017

DAS 6 9-89

DAS 28 9-89

DAS 27 9-89

D2589 Manufactured Yes 105 Each 49.0000 1 4

D2589

Keys, Key Chain

Location	Loc Qty	Loc Code
ST008	49	
132942	49	

MAR 21 2017

DAS 28 9-89

DAS 6 9-89

DAS 27 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY						
Environment	☐	No Re-verification	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	OTHER : _____						
Misidentified	☐	Past Due							

Picklist Print

Friday, February 17, 2017 1:31:44 PM

Page 3

Work Order ID: 157266

157266

Parent Item: D350-589-011

D350-589-011

Parent Item Name: Side Door Latch Modification

Start Date: 2/24/2017

Required Date: 3/3/2017

Start Qty: 4.00

Required Qty: 4.00

MS20470AD4-5

Purchased

No

105

Each

2,506.000

6

24

MS20470AD4-5

RIVET, UNIVERSAL HEAD

MAR 21 2017

DAS 6 28
9-89 9-89

DAS 27
9-89

Location

Loc Qty

Loc Code

CCK004

1782

m136851

1782

GA

4

m133860

4

ST310

720

m134654

720

MS21042L3

Purchased

No

105

Each

2,239.000

3

12

MS21042L3

Nut

MAR 21 2017

DA 6 28
9-89 9-89

DAS 27
9-89

Location

Loc Qty

Loc Code

FP001

100

m135945

100

GA

318

m134360

108

m135135

18

M136665

192

OVER007

300

m134360

0

M136665

300

ST303

521

M136406

21

M136554

500

ST3030

1000

M136838

1000

12

Friday, February 17, 2017 1:31:44 PM

Shop Packet Print

Page 3

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Friday, February 17, 2017 1:31:44 PM

157266

D350-589-011

Required Date: 3/3/2017

Required Qty: 4.00

12

MAR 21 2017

DAS
6
9-89

DAS
28
9-80

Loc Code

1

1

189

89

100

12

MAR 21 2017

6 DAS
9-89

Loc Code

197

197

830

23

807

DAS
27
9-89

Page 4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

REFERENCE ONLY**3.4 PARTS LIST**

589 -011	589 -041	589 -042	589 -043	Part Number	Description
X				D350-589-011	SIDE DOOR LATCH MODIFICATION KIT
	X			D350-589-041	SIDE DOOR ASSEMBLY, LH AS 350
		X		D350-589-042	SIDE DOOR ASSEMBLY, RH AS 350/355
			X	D355-589-043	SIDE DOOR ASSEMBLY, LH AS 355
	1			D2991-1	Door
		1		D2991-2	Door
			1	D2991-3	Door
3	3	3	3	D2237	Striker Plate
	1	1	1	D2464-1700	Seal
3				D2583	Latch Bracket
3	3	3	3	D2585	Latch Clamp
3	3	3	3	D2586	Latch
1				D2587	Plug
1	1	1	1	D2589	Keys, Key Chain
	3	3	3	D2621	Latch Plate
	2**	2**	2**	D2992-1	Doubler
	1	1	1	D3085-041	Prop Assembly
	1*	1*	1*	D3015-3	Locknut
	1*	1*	1*	D3081-1	Prop Hinge
	1*	1*	1*	D3082-1	Clip
	1*	1*	1*	D3084-1	Prop Arm
	1*	1*	1*	AN4-5A	Bolt
	3*	3*	3*	AN960JD10	Washer
	3*	3*	3*	AN960JD10L	Washer
	2*	2*	2*	AN960JD416	Washer
	1*	1*	1*	AN960JD516L	Washer
	3*	3*	3*	MS21042L3	Nut (or MS21042-3)
	1*	1*	1*	MS21042L4	Nut (or MS21042-4)
	3*	3*	3*	MS27039-1-13	Screw
	1*	1*	1*	SL69-BS	Ball Stud
	6	6	6	AN3-4A	Bolt
3	3	3	3	AN960JD10	Washer
3	9	9	9	MS21042L3	Nut (or MS21042-3)
6	6	6	6	MS20470AD4-5	Rivet
3	3	3	3	MS27039-1-15	Screw

* Reference only. Included in D3085-041 Prop Assembly listed above.

** Reference only. Included in D2991-1/-2/-3 Doors listed above.